

OPTICAL

- Interchangeable lenses :
 - FUJINON :
f/1.7, 12-to-1, 9-108 mm
 - ANGENIEUX :
f/1.8, 15-to-1, 9.5-143 mm
 - SCHNEIDER :
f/1.8, 10-to-1, 10-100 mm

All above lenses are fitted with automatic iris and servo zoom. Zoom lens rocker switch on camera handle provides variable speed control of zoom range. Provision for manual control of iris and zoom.

- Three-position filter wheel :
 - filter A : clear for 3000° K light,
 - filter B : for 6500° K light,
 - filter C : opaque.
- Beam splitter, with f/1.4 R.G.B. prism and integral bias light system.

VIDEO

• Sensivity :

With an illumination of 2500 lux (3000° K) on a white chart of 60 % reflectance, f/4 aperture, the signal-to-noise ratio will be greater than or equal to 46 dB on the green channel. Bandwidth limited between 100 kHz and 5 MHz.

• **Horizontal resolution** at 4 MHz at picture centre \geq 25 % without contour enhancement, tube limited, correctable to 100 % with image enhancer.

• Geometry distortion :

- 1 % of picture height inside circle,
- 2 % of picture height outside circle

• Gamma correction :

Continuously adjustable gamma from 0.45 to 1, including 0.9 gamma of pick-up tubes.

• Registrations :


- 0.1 % of picture height in zone 1.
- 0.2 % of picture height in zone 2.
- 0.5 % of picture height in zone 3.



THOMSON-CSF

TTV 1602

"MICROCAM"^{®*} MK 2R



FEATURES

- Lightweight miniature portable colour camera, highly suitable for ENG applications.
- Three 2/3" Plumbicon* tubes.
- Distribution of complete camera circuits into two units: camera head and electronics pack, for maximum flexibility and portability.
- Operating simplicity of a 16 mm movie camera.
- Low power requirements.
- Interchangeable lenses.
- Completely self-contained viewfinder.
- Used in conjunction with a portable VTR, two operators can ensure a 2-hour programme in field reporting with complete mobility. In case

of urgent news events requiring immediate transmission, the system may be completed with a small mobile transmitter which permits on the scene live transmission.

®* T.M. of THOMSON-CSF
* T.M. of N.V. PHILIPS

